



| | |
|----------|--------------------------|
| SITE | AT1206A00 |
| SITENAME | Weinviertler Klippenzone |

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- 5. SITE PROTECTION STATUS
- 6. SITE MANAGEMENT
- 7. MAP OF THE SITE

| | | |
|----------|---------------|-----------------------------|
| 1.1 Type | 1.2 Site code | Back to top |
| B | AT1206A00 | |

| |
|-------------------------|
| Weinviertel Klippenzone |
|-------------------------|

| | |
|-----------------------------------|------------------------|
| 1.4 First Compilation date | 1.5 Update date |
| 1998-09 | 2021-12 |

| | |
|---------------------------|---|
| Name/Organisation: | Amt der Niederösterreichischen Landesregierung, Abteilung Naturschutz |
| Address: | Niederösterreich Landhausplatz 1 3109 St. Pölten |
| Email: | post.ru5@noel.gv.at |

| | |
|--|--|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 1998-09 |
| Date site confirmed as SCI: | 2004-12 |
| Date site designated as SAC: | 2011-03 |
| National legal reference of SAC designation: | Verordnung über die Europaschutzgebiete (LGBI. 5500/6) |

| | |
|-----------|----------|
| Longitude | Latitude |
| 16.3861 | 48.5722 |

2.2 Area [ha]: 2.3 Marine area [%]

3359.61

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

| | |
|------|------------------|
| AT12 | Niederösterreich |
|------|------------------|

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 1530 | | | 1.83 | | G | B | C | B | B |
| 40A0 | | | 0.01 | | G | D | - | - | - |
| 5130 | | | 10.1 | | G | B | B | C | B |
| 6110 | | | 2.8 | | M | B | B | B | B |
| 6190 | | | 2.0 | | M | B | C | B | C |
| 6210 | | | 135.2 | | M | B | B | B | B |
| 6240 | | | 25.2 | | M | B | B | A | B |
| 6250 | | | 1.8 | | G | B | B | B | B |
| 6430 | | | 0.5 | | M | D | - | - | - |
| 6510 | | | 4.0 | | M | C | C | C | C |
| 8310 | | | 0.02 | 3 | M | B | C | B | B |
| 9130 | | | 9.3 | | M | C | C | B | C |
| 9170 | | | 480.5 | | M | B | B | A | B |
| 91E0 | | | 20.9 | | M | C | C | B | C |
| 91G0 | | | 1158.6 | | M | A | B | B | B |
| 91I0 | | | 427.4 | | G | B | A | B | A |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | Site assessment | |
|---------|------|-----------------|---|----|------------------------|------|------|------|----------|-----------------|-------|
| G | Code | Scientific Name | S | NP | T | Size | Unit | Cat. | D. qual. | A B C D | A B C |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|---|---|--|---|---|--|---|--|---|---|
| P | | Adonis vernalis | | | | | | P | | | X | | | |
| P | | Allium flavum | | | | | | P | | | | | | X |
| I | | Ampedus nigerrimus | | | | | | P | | | | | | X |
| R | 2432 | Anguis fragilis | | | | | | P | | | X | | | |
| I | | Apatura iris | | | | | | R | | | | | | X |
| P | | Armeria elongata | | | | | | P | | | X | | | |
| I | | Aromia moschata | | | | | | P | | | | | | X |
| P | | Artemisia scoparia | | | | | | P | | | X | | | |
| P | | Aster linosyris | | | | | | P | | | X | | | |
| A | 6997 | Bufo viridis | | | | | | P | X | | X | | | |
| P | | Bupleurum affine | | | | | | P | | | X | | | |
| P | | Bupleurum rotundifolium | | | | | | P | | | X | | | |
| I | | Cepaea vindobonensis | | | | | | C | | | X | | | |
| I | | Cerambyx scopoli | | | | | | P | | | | | | X |
| P | | Chamaecytisus austriacus | | | | | | P | | | X | | | |
| I | | Chondrula tridens | | | | | | V | | | X | | | |
| I | | Colias chrysotheme | | | | | | R | | | X | | | |
| R | 1283 | Coronella austriaca | | | | | | R | X | | X | | | |
| P | | Cotinus coggygria | | | | | | P | | | X | | | |
| M | 1339 | Cricetus cricetus | | | | | | R | | | X | | | |
| I | | Decticus verrucivorus | | | | | | R | | | X | | | |
| P | | Dictamnus albus | | | | | | P | | | X | | | |
| I | | Ephippiger ephippiger | | | | | | R | | | X | | | |
| M | 1313 | Eptesicus nilssonii | | | 0 | 0 | | R | X | | | | X | |
| M | 1327 | Eptesicus serotinus | | | 0 | 0 | | R | X | | X | | | |
| I | | Hipparchia semele | | | | | | R | | | X | | | |
| A | 1203 | Hyla arborea | | | | | | P | X | | X | | | |
| M | 5365 | Hypsugo savii | | | 0 | 0 | | V | X | | X | | | |
| I | | Iphiclide podalirius | | | | | | C | | | X | | | |
| I | | Isophya pyreneae/kraussi | | | | | | V | | | | | | X |
| P | | Jovibarba sobolifera | | | | | | P | | | X | | | |
| R | 1261 | Lacerta agilis | | | | | | R | X | | X | | | |
| I | | Limenitis camilla | | | | | | R | | | | | | X |
| I | | Limenitis reducta | | | | | | R | | | X | | | |
| I | | Mantis religiosa | | | | | | C | | | | | | X |
| P | | Marrubium peregrinum | | | | | | P | | | X | | | |
| I | | Melitaea diamina | | | | | | P | | | X | | | |
| M | 5718 | Micromys minutus | | | | | | R | | | X | | | |
| I | | Minois dryas | | | | | | C | | | X | | | |
| P | | Minuartia setacea | | | | | | P | | | X | | | |
| M | 1314 | Myotis daubentonii | | | 0 | 0 | | R | X | | | | X | |
| M | 1330 | Myotis mystacinus | | | 0 | 0 | | R | X | | X | | | |
| M | 1322 | Myotis nattereri | | | 0 | 0 | | R | X | | X | | | |
| I | | Myrmeleotettix maculatus | | | | | | R | | | X | | | |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|---|--|---|---|---|---|--|---|---|
| R | 2469 | Natrix natrix | | | | | | P | | | X | | | |
| M | 1331 | Nyctalus leisleri | | | 0 | 0 | | R | X | | X | | | |
| M | 1312 | Nyctalus noctula | | | 0 | 0 | | C | X | | | | X | |
| I | | Oecanthus pellucens | | | | | | C | | | | | | X |
| I | | Omocestus haemorrhoidalis | | | | | | V | | | X | | | |
| I | | Omocestus rufipes | | | | | | R | | | X | | | |
| I | | Oxythrea funesta | | | | | | V | | | | | | X |
| P | | Oxytropis pilosa | | | | | | P | | | X | | | |
| P | | Papaver albiflorum | | | | | | P | | | X | | | |
| I | | Papilio machaon | | | | | | C | | | | | | X |
| I | 1056 | Parnassius mnemosyne | | | | | | R | | | X | | | |
| A | | Pelophylax spp. | | | | | | P | X | X | X | | | X |
| I | | Pholidoptera aptera | | | | | | V | | | | | | X |
| M | 1309 | Pipistrellus pipistrellus | | | 0 | 0 | | V | X | | X | | | |
| M | 5009 | Pipistrellus pygmaeus | | | 0 | 0 | | C | X | | X | | X | |
| I | | Plebejus argyronomon | | | | | | P | | | X | | | |
| M | 1329 | Plecotus austriacus | | | 0 | 0 | | V | X | | X | | | |
| P | | Polygala major | | | | | | P | | | X | | | |
| I | | Psophus stridulus | | | | | | V | | | X | | | |
| P | | Pulsatilla pratensis ssp. Nigricans | | | | | | P | | | X | | | |
| A | 1209 | Rana dalmatina | | | | | | P | X | | X | | | |
| P | | Seseli osseum | | | | | | P | | | X | | | |
| P | | Seseli pallasii | | | | | | P | | | X | | | |
| I | | Stenobothrus nigromaculatus | | | | | | R | | | X | | | |
| I | | Sympecma fusca | | | | | | R | | | X | | | |
| I | | Tettigonia caudata | | | | | | R | | | X | | | |
| P | | Veronica austriaca | | | | | | P | | | X | | | |
| M | 1332 | Vespertilio murinus | | | 0 | 0 | | R | X | | | | X | |
| I | | Zebrina detrita | | | | | | C | | | X | | | |
| I | 1053 | Zerynthia polyxena | | | | | | R | X | | X | | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|---------------|---------|
| N06 | 1.0 |
| N10 | 2.4 |
| | |

| | |
|---------------------|--------------------|
| N03 | 0.5 |
| N17 | 3.2 |
| N16 | 58.2 |
| N23 | 0.9 |
| N12 | 3.3 |
| N09 | 5.6 |
| N21 | 0.1 |
| N15 | 15.1 |
| N19 | 2.3 |
| N27 | 6.4 |
| N20 | 1.0 |
| Total Habitat Cover | 100.00000000000001 |

4.2 Quality and importance

Das Gebiet ist berühmt für xerotherme Lebensräume, in denen eine große Vielfalt spezialisierter Arten lebt, darunter auch petrophile Pflanzen. Üblicher Weise bilden trockenes Grasland, Weinberge, Buschland, Ackerfelder, Weiden und Mähwiesen ein Lebensraummosaik mit vielen Ökotonen und einer hohen Biodiversität. Früher beweidete Trockenrasen auf kalkhaltigen Substraten beherbergen sowohl viele seltene Pflanzenarten wie Adonis vernalis, Pulsatilla spp. oder Allium flavum als auch Heuschrecken (Stenobothrus nigromaculatus) und Reptilien (Zamenis longissimus, Coronella austriaca). Insbesondere an den Rändern angrenzender Wälder entwickelt sich eine sehr reiche Folgevegetation mit Büschen (z. B. Cotinus coggygria) und hohen Kräutern (z. B. dem schönen Dictamnus albus). Typische Arten, die in hohen Populationsdichten zu finden sind, sind Mantis religiosa, Lacerta viridis and Limenitis camilla. Das Gebiet umfasst gut erhaltene Eichen-Wälder (Trauben-Eiche, Zerreiche), die auf typische und sehr alte, traditionelle Weise bewirtschaftet werden: Bäume werden zu unterschiedlichen Erntezeiten am selben Ort verwendet; die jüngeren als Brennstoff und die beeindruckenden alten als teures Eichenholz). Diese vielfältige Lebensraumstruktur ermöglicht es sogar Spezialisten für Altholzbestände (z. B. xylobionte Käfer wie Cerambyx cerdo), dort zu leben. Die Kalksteinfelsen weisen viele Höhlen auf, in denen eine interessante Höhlenfauna lebt, wie z.B. mehrere Fledermausarten (Myotis spp. etc.).

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|---------------------------------|--------------------------------|---------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| L | H01 | | i |
| L | K02.02 | | i |
| H | A01 | | o |
| M | B02.04 | | i |
| H | A10 | | o |
| L | G05.01 | | i |
| H | A02 | | b |
| M | A07 | | b |
| M | A08 | | b |
| M | K04.01 | | i |
| L | B01 | | i |
| H | A04.03 | | i |
| L | H04 | | i |
| M | A10 | | i |
| M | F03.01 | | b |
| M | E01.01 | | i |
| H | G01.08 | | i |
| L | B02.01 | | i |
| M | K04.05 | | i |
| L | G04.01 | | i |
| M | G01.02 | | i |
| M | E01.02 | | i |
| M | E01.03 | | i |
| | | | |

| Positive Impacts | | | |
|------------------|----------------------------------|--------------------------------|----------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside /outside [i o b] |
| L | G04.01 | | i |
| L | B02.02 | | i |
| M | A03 | | i |
| L | A04 | | i |

| | | | |
|---|-----------|--|---|
| L | B02.03 | | i |
| M | F03.02.03 | | i |
| H | C01.04 | | i |
| M | I01 | | i |
| L | B02.02 | | i |
| M | B01.02 | | i |

Rank: H = high, M = medium, L = low
Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,
T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions
i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

BECKER, B. (1996) Waschberg, Michelberg und Grillenberg. Vegetationskundliche Gliederung und landschaftsökologische Betrachtung. Dipl. Arbeit Univ. f. Bodenkultur Wien.CABELA, A, H. GRILLITSCH & F. TIEDEMANN (1995) Rote Listen ausgewählter Tiergruppen Niederösterreichs - Lurche und Kriechtiere (Amphibia et Reptilia), 1. Fassung. Amt der Niederösterreichischen Landesregierung, Abteilung Naturschutz. Wien.

BERG, H.-M. & T. ZUNA-KRATKY (1997) Rote Listen ausgewählter Tiergruppen Niederösterreichs - Heuschrecken und Fangschrecken (Insecta: Saltatoria, Mantodea). - Amt der Niederösterreichischen Landesregierung, Abteilung Naturschutz.,Wien. 112 S.GEPP, J. (hrsg., 1994) Rote Listen gefährdeter Tiere Österreichs. Grüne Reihe des BMfUJF. Styria, Graz. 355 pp.LEGORSKY, F.J. (1993) Die Käferfauna der Leiser Berge (Beitrag zur Coleopteren-Fauna von Niederösterreich). Z. Arb.Gem. Österr. Entom. 45: 75-80.PAAR, M., SCHRAMAYR, G., TIEFENBACH, M. & I. WINKLER (1993): Naturschutzgebiete Österreichs. Band 1: Burgenland, Niederösterreich, Wien. - Umweltbundesamt Monographien Bd. 38 A, Wien.REICHL, E.R. (1992) Verbreitungsatlas der Tierwelt Österreichs. Band 1. Lepidoptera - Diurna. Forschungsinstitut für Umweltinformatik Linz, Linz.REICHL, E.R. (1992) Verbreitungsatlas der Tierwelt Österreichs. Band 1. Lepidoptera - Sphinges et Bombyces. Forschungsinstitut für Umweltinformatik Linz, Linz.SPITZENBERGER (in Vorb.) Rote Listen ausgewählter Tiergruppen Niederösterreichs - Säugetiere (Mammalia), 1. Fassung 1995. Amt der Niederösterreichischen Landesregierung, Abteilung Naturschutz. Wien. (unpublished).ARGE BASISERHEBUNG (2012): Endbericht zum Projekt "Basiserhebung von Lebensraumtypen und Arten von gemeinschaftlicher Bedeutung". Bearbeitung Revital Integrative Naturraumplanung GmbH, freiland Umweltconsulting ZT GmbH, eb&p Umweltbüro GmbH, Z_GIS Zentrum für Geoinformatik. Im Auftrag der neun Bundesländer Österreichs. Lienz, Wien, Klagenfurt, Salzburg (unpublished).KFFÖ (2015): Fledermäuse in Niederösterreich (2012-2014): Erfassung, Evaluierung, Monitoring, Schutz und Öffentlichkeitsarbeit. Im Auftrag des Amt der NÖ Landesregierung, Abteilung Naturschutz.

NATURSCHUTZBUND NÖ (2013): Basisdatenerhebung FFH-relevanter Amphibien- und Reptilienarten. Im Auftrag des Amt der NÖ Landesregierung, Abteilung Naturschutz, ELLMAUER, T. ET AL. (2020): Aktualisierung der Standarddatenbögen der 20 FFH-Gebiete Niederösterreichs. Im Auftrag des Amtes der NÖ Landesregierung, Abteilung Naturschutz.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| AT04 | 61.1 | AT02 | 42.4 | AT03 | 0.1 |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|---------------|------|-----------|
| AT02 | Leiserberge | * | 42.4 |
| AT04 | Leiser Berge | * | 48.7 |
| AT04 | Steinbergwald | + | 7.66 |
| AT03 | Zeiserlberg | + | 0.1 |
| AT04 | Falkenstein | * | 4.7 |

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|---|
| Organisation: | Amt der Niederösterreichischen Landesregierung, Abteilung Naturschutz |
|---------------|---|

| | |
|----------|---|
| Address: | Niederösterreich Landhausplatz 1 St. Pölten |
| Email: | post.ru5@noel.gv.at |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|---|--|
| <input checked="" type="checkbox"/> Yes | Name: Nr. 06 Europaschutzgebiet „Weinviertler Klippenzone" (FFH-Gebiet) Link: http://www.noel.gv.at/noel/Naturschutz/Hauptregion_Weinviertel - Natura 2000.html |
| <input type="checkbox"/> No, but in preparation | |
| <input type="checkbox"/> No | |

6.3 Conservation measures (optional)

| |
|---|
| There are many set aside areas funded by extensification projects according to EC-Reg. 2078. At one side a grazing project and at an other the hay making is continued. |
|---|

7. MAP OF THE SITES

[Back to top](#)

| | |
|-------------|---|
| INSPIRE ID: | https://data.inspire.gv.at/0046/03d595d8-8c77-4d02-8a3b-a9cea2313778/ps.ProtectedSite/1b7aa0dd-ecf9-4784-8cab-d70f27cd |
|-------------|---|

Map delivered as PDF in electronic format (optional)

| | |
|------------------------------|--|
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
|------------------------------|--|

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

| |
|--|
| |
|--|